



Conti e Tonoli s.r.l.

Prodotti siderurgici - Ossitaglio

Via Treviglio 21 - 24043 Caravaggio (BG)

Telefono: 0363 50611 - Fax: 0363 350440

e-mail: info@contietonoli.it - www.contietonoli.it

Laminati mercantili

QUADRI



Spessore mm	Sezione mm ²	Peso Kg/m	Spessore mm	Sezione mm ²	Peso Kg/m	Spessore mm	Sezione mm ²	Peso Kg/m
4	16	0,126	33	1.089	8,549	84	7.056	55,390
5	25	0,196	34	1.156	9,075	86	7.396	58,060
6	36	0,283	35	1.225	9,616	88	7.744	60,790
7	49	0,385	36	1.296	10,170	92	8.464	66,440
8	64	0,502	37	1.369	10,750	94	8.836	69,360
9	81	0,636	38	1.444	11,340	96	9.216	72,350
10	100	0,785	39	1.521	11,940	98	9.604	75,390
11	121	0,950	40	1.600	12,560	100	10.000	78,500
12	144	1,130	42	1.764	13,850	105	11.025	86,550
13	169	1,327	44	1.936	15,200	110	12.100	94,990
14	196	1,539	46	2.116	16,610	115	13.225	103,820
15	225	1,766	48	2.304	18,090	120	14.400	113,040
16	256	2,010	50	2.500	19,630	125	15.625	122,660
17	289	2,269	52	2.704	21,230	130	16.900	132,670
18	324	2,543	54	2.916	22,890	135	18.225	143,070
19	361	2,834	56	3.136	24,620	140	19.600	153,860
20	400	3,140	58	3.364	26,410	145	21.025	165,050
21	441	3,462	60	3.600	28,260	150	22.500	176,630
22	484	3,799	62	3.844	30,180	160	25.600	200,960
23	529	4,153	64	4.096	32,150	170	28.900	226,870
24	576	4,522	66	4.356	34,190	180	32.400	254,340
25	625	4,906	68	4.624	36,300	190	36.100	283,390
26	676	5,307	70	4.900	38,470	200	40.000	314,000
27	729	5,723	72	5.184	40,690	220	48.400	379,940
28	784	6,154	74	5.476	42,990	240	57.600	452,160
29	841	6,602	76	5.776	45,340	250	62.500	490,630
30	900	7,065	78	6.084	47,760	260	67.600	530,660
31	961	7,544	80	6.400	50,240	280	78.400	615,440
32	1.024	8,038	82	6.724	52,780	300	90.000	706,500



Conti e Tonoli s.r.l.

Prodotti siderurgici - Ossitaglio

Via Treviglio 21 - 24043 Caravaggio (BG)

Telefono: 0363 50611 - Fax: 0363 350440

e-mail: info@contietonoli.it - www.contietonoli.it

Laminati mercantili

TONDI



\varnothing mm	Sezione mm ²	Peso Kg/m	\varnothing mm	Sezione mm ²	Peso Kg/m	\varnothing mm	Sezione mm ²	Peso Kg/m
4	12,57	0,099	33	855,30	6,714	84	5.541,8	43,50
5	19,63	0,154	34	907,92	7,127	86	5.808,8	45,60
6	28,27	0,222	35	962,11	7,553	88	6.082,1	47,74
7	38,48	0,302	36	1.017,9	7,990	92	6.647,6	52,18
8	50,27	0,395	37	1.075,2	8,440	94	6.939,8	54,48
9	63,62	0,499	38	1.134,1	8,903	96	7.238,2	56,82
10	78,54	0,617	39	1.194,6	9,378	98	7.543,0	59,21
11	95,03	0,746	40	1.256,6	9,865	100	7.854,0	61,65
12	113,10	0,888	42	1.385,4	10,88	105	8.659,0	67,97
13	132,73	1,042	44	1.520,5	11,94	110	9.503,3	74,60
14	153,94	1,208	46	1.661,9	13,05	115	10.386,9	81,54
15	176,71	1,387	48	1.809,6	14,21	120	11.309,7	88,78
16	201,06	1,578	50	1.963,5	15,41	125	12.271,8	96,33
17	226,98	1,782	52	2.123,7	16,67	130	13.273,2	104,19
18	254,47	1,998	54	2.290,2	17,98	135	14.313,9	112,36
19	283,53	2,226	56	2.463,0	19,33	140	15.393,8	120,84
20	314,16	2,466	58	2.642,1	20,74	145	16.513,0	129,63
21	346,36	2,719	60	2.827,4	22,20	150	17.671,5	138,72
22	380,13	2,984	62	3.019,1	23,70	160	20.106,2	157,83
23	415,48	3,261	64	3.217,0	25,25	170	22.698,0	178,18
24	452,39	3,551	66	3.421,2	26,86	180	25.446,9	199,76
25	490,87	3,853	68	3.631,7	28,51	190	28.352,9	222,57
26	530,93	4,168	70	3.848,5	30,21	200	31.415,9	246,62
27	572,56	4,495	72	4.071,5	31,96	220	38.013,3	298,40
28	615,75	4,834	74	4.300,8	33,76	240	45.238,9	355,13
29	660,52	5,185	76	4.536,5	35,61	250	49.087,4	385,34
30	706,86	5,549	78	4.778,4	37,51	260	53.092,9	416,78
31	754,77	5,925	80	5.026,5	39,46	280	61.575,2	483,37
32	804,25	6,313	82	5.281,0	41,46	300	70.685,8	554,88



Conti e Tonoli s.r.l.

Prodotti siderurgici - Ossitaglio


Via Treviglio 21 - 24043 Caravaggio (BG)

Telefono: 0363 50611 - Fax: 0363 350440

e-mail: info@contietonoli.it - www.contietonoli.it

Laminati mercantili

PIATTI



Spessore mm	Larghezza mm										
	10	12	14	15	16	18	20	22	25	30	35
	Peso Kg/m										
3	0,236	0,283	0,330	0,353	0,377	0,424	0,471	0,518	0,589	0,707	0,824
4	0,314	0,377	0,440	0,471	0,502	0,565	0,628	0,691	0,785	0,942	1,100
5	0,392	0,471	0,550	0,589	0,628	0,706	0,785	0,864	0,981	1,180	1,370
6	0,471	0,565	0,659	0,706	0,754	0,848	0,942	1,040	1,180	1,410	1,650
8			0,879	0,942	1,000	1,130	1,260	1,380	1,570	1,880	2,200
10				1,170	1,260	1,410	1,570	1,730	1,960	2,360	2,750
12							1,880	2,070	2,360	2,830	3,300
15							2,360	2,590	2,940	3,530	4,190
18									3,530	4,240	4,947
20										4,710	5,500
25											6,870
30											8,240
40											
50											
60											

Spessore mm	Larghezza mm										
	40	45	50	55	60	70	80	90	100	110	120
	Peso Kg/m										
3	0,942	1,060	1,180	1,300	1,410	1,650	1,880	2,120	2,360		
4	1,260	1,410	1,570	1,730	1,880	2,200	2,510	2,830	3,140		
5	1,570	1,770	1,960	2,160	2,360	2,750	3,140	3,530	3,930	4,320	4,710
6	1,880	2,120	2,360	2,590	2,830	3,300	3,770	4,240	4,710	5,180	5,650
8	2,510	2,830	3,140	3,450	3,770	4,400	5,020	5,650	6,280	6,910	7,540
10	3,140	3,530	3,920	4,320	4,710	5,500	6,280	7,060	7,850	8,640	9,420
12	3,770	4,240	4,710	5,180	5,650	6,590	7,540	8,480	9,420	10,400	11,300
15	4,710	5,300	5,890	6,480	7,060	8,240	9,420	10,600	11,800	13,000	14,100
18											
20	6,280	7,060	7,850	8,640	9,420	11,000	12,600	14,100	15,700	17,300	18,800
25	7,850	8,830	9,810	10,800	11,800	13,700	15,700	17,700	19,600	21,600	23,600
30	9,420	10,600	11,800	13,000	14,100	16,500	18,800	21,200	23,600	25,900	28,300
40		14,100	15,700	17,200	18,800	21,900	25,100	28,200	31,400	34,500	37,600
50					23,600	27,500	31,400	35,300	39,300	43,200	47,100
60						33,000	37,700	42,400	47,100	51,800	56,500



Conti e Tonoli s.r.l.

Prodotti siderurgici - Ossitaglio

Via Treviglio 21 - 24043 Caravaggio (BG)

Telefono: 0363 50611 - Fax: 0363 350440

e-mail: info@contietonoli.it - www.contietonoli.it

PIATTI/2

Spessore mm	Larghezza mm										
	130	140	150	160	170	180	190	200	220	250	280
	Peso Kg/m										
3		3,297	3,532								
4	4,080	4,400	4,710								
5	5,100	5,500	5,890	6,280	6,670	7,060	7,455	7,850			
6	6,120	6,590	7,060	7,540	8,010	8,480	8,950	9,420			
8	8,160	8,790	9,420	10,000	10,700	11,300	11,900	12,600	14,150	15,700	17,600
10	10,200	11,000	11,800	12,600	13,300	14,100	14,900	15,700	17,300	19,600	22,000
12	12,200	13,200	14,100	15,100	16,000	17,000	17,900	18,800	20,700	23,600	26,400
15	15,300	16,500	17,700	18,800	20,000	21,200	22,400	23,600	25,900	29,400	33,000
18											
20	20,400	27,500	29,400	31,400	26,700	35,300	29,800	39,200	43,200	49,100	44,000
25	25,500	33,000	35,300	37,700	40,044	42,400	37,300	47,100	51,800	58,900	55,000
30	30,600	33,000	35,300	37,700	40,300	42,300	44,700	47,100	60,400	68,700	65,900
40	40,800	43,900	47,100	50,200	53,300	56,500	59,600	62,800	69,100	78,500	87,900
50	51,000	55,000	58,900	62,800	66,700	70,600	74,500	78,600	86,300	98,100	
60	61,200	65,900	70,600								

Spessore mm	Larghezza mm										
	300	350	400	500							
	Peso Kg/m										
3											
4											
5				19,500							
6				23,400							
8				31,200							
10	23,600	27,300	31,200	39,000							
12	28,300	32,760	37,440	46,800							
15	35,300	40,950	46,800	58,500							
18											
20	58,900	68,250	78,000	78,000							
25	70,600	81,900	93,600	97,500							
30	82,400	96,1000	109,900	117,00							
40	94,200	109,900	125,600	156,00							
50	117,700	137,300	157,000	195,00							
60		163,800	187,200	234,00							



Conti e Tonoli s.r.l.

Prodotti siderurgici - Ossitaglio


Via Treviglio 21 - 24043 Caravaggio (BG)

Telefono: 0363 50611 - Fax: 0363 350440

e-mail: info@contietonoli.it - www.contietonoli.it

Laminati mercantili

PROFILI ANGOLARI A LATI
UGUALI E SPIGOLI TONDI



Profilo mm	l mm	a mm	r mm	Peso kg/m	Sezione cm ²	Momenti di inerzia	Moduli di resistenza	Raggi di inerzia
						Jx = Jy cm ⁴	Wx = Wy cm ³	ix = iy cm
15x3	15	3	3,5	0,640	0,819	0,150	0,150	0,430
20x3	20	3	3,5	0,880	1,12	0,390	0,280	0,590
20x4	20	4	3,5	1,14	1,45	0,490	0,360	0,580
25x3	25	3	3,5	1,12	1,42	0,800	0,450	0,750
25x5	25	5	3,5	1,77	2,26	1,200	0,710	0,730
30x3	30	3	5	1,36	1,74	1,400	0,650	0,900
30x4	30	4	5	1,78	2,27	1,800	0,850	0,890
30x5	30	5	5	2,18	2,78	2,160	1,040	0,880
30x6	30	6	5	2,56	3,27	2,490	1,220	0,870
35x3	35	3	5	1,60	2,04	2,390	0,900	1,060
35x4	35	4	5	2,10	2,67	2,950	1,180	1,050
35x5	35	5	5	2,57	3,28	3,560	1,450	1,040
35x6	35	6	5	3,04	3,87	4,130	1,710	1,030
40x4	40	4	6	2,42	3,08	4,470	1,550	1,210
40x5	40	5	6	2,97	3,79	5,530	1,910	1,200
40x6	40	6	6	3,52	4,48	6,310	2,260	1,190
45x4	45	4	7	3,50	2,74	6,430	1,970	1,360
45x5	45	5	7	3,38	4,30	7,840	2,430	1,350
45x6	45	6	7	4,00	5,09	9,160	2,880	1,340
45x7	45	7	7	4,60	5,86	10,40	3,310	1,330
50x4	50	4	7	3,06	3,89	8,970	2,460	1,520
50x5	50	5	7	3,77	4,80	11,00	3,050	1,510
50x6	50	6	7	4,47	5,69	12,80	3,610	1,500
50x7	50	7	7	5,15	6,56	14,60	4,160	1,490
55x6	55	6	8	4,95	6,31	17,30	4,390	1,660
55x8	55	8	8	6,46	8,23	22,00	5,720	1,640
60x5	60	5	8	4,57	5,82	19,50	4,480	1,830
60x6	60	6	8	5,42	6,91	22,80	5,290	1,820
60x8	60	8	8	7,09	9,03	29,20	6,890	1,800
60x10	60	10	8	8,69	11,1	34,90	8,410	1,780
65x7	65	7	9	6,83	8,70	33,40	7,180	1,960
65x9	65	9	9	8,62	11,0	41,40	9,050	1,940



Conti e Tonoli s.r.l.

Prodotti siderurgici - Ossitaglio

Via Treviglio 21 - 24043 Caravaggio (BG)

Telefono: 0363 50611 - Fax: 0363 350440

e-mail: info@contietonoli.it - www.contietonoli.it

ANGOLARI LATI UGUALI SPIGOLI TONDI/2

Profilo mm	l mm	a mm	r mm	Peso kg/m	Sezione cm ²	Momenti di inerzia	Moduli di resistenza	Raggi di inerzia
						Jx = Jy cm ⁴	Wx = Wy cm ³	ix = iy cm
70x6	70	6	9	6,38	8,13	37,10	7,320	2,140
70x7	70	7	9	7,38	9,40	42,30	8,420	2,120
70x9	70	9	9	9,34	11,9	52,50	10,60	2,100
70x11	70	11	9	11,2	14,3	61,80	12,70	2,080
75x8	75	8	10	9,03	11,5	58,90	11,00	2,260
75x10	75	10	10	11,1	14,1	71,20	13,50	2,250
75x12	75	12	10	13,1	16,7	82,60	15,80	2,230
80x8	80	8	10	9,66	12,3	72,20	12,60	2,420
80x10	80	10	10	11,9	15,1	87,50	15,50	2,410
80x12	80	12	10	14,1	17,9	102,0	18,20	2,390
90x8	90	8	11	10,9	13,9	104,0	16,10	2,740
90x9	90	9	11	12,2	15,5	116,0	17,90	2,730
90x11	90	11	11	14,7	18,7	138,0	21,60	2,710
90x13	90	13	11	21,8	17,1	158,0	25,10	2,690
90x15	90	15	11	24,9	19,5	177,0	28,50	2,670
100x10	100	10	12	15,1	19,2	177,0	24,60	3,040
100x12	100	12	12	17,8	22,7	207,0	29,10	3,020
100x14	100	14	12	26,2	20,6	235,0	33,50	3,000
100x16	100	16	12	23,2	29,6	262,0	37,70	2,970
110x10	110	10	12	16,6	21,2	239,0	30,10	3,360
110x12	110	12	12	19,7	25,1	280,0	35,70	3,340
110x14	110	14	12	22,8	29,0	319,0	41,00	3,320
120x10	120	10	13	18,2	23,2	313,0	36,00	3,670
120x11	120	11	13	19,9	25,4	341,0	39,40	3,660
120x13	120	13	13	23,3	29,7	394,0	46,00	3,640
120x15	120	15	13	26,6	33,9	445,0	52,40	3,620
120x18	120	18	13	31,5	40,1	517,0	61,70	3,590
130x12	130	12	14	23,6	30,0	472,0	50,40	3,970
130x14	130	14	14	27,2	34,7	540,0	58,20	3,950
130x16	130	16	14	30,9	39,3	605,0	65,70	3,930
140x13	140	13	15	27,5	35,0	639,0	63,40	4,270
140x15	140	15	15	31,4	40,0	723,0	72,40	4,250
140x17	140	17	15	35,3	45,0	805,0	81,10	4,230
150x14	150	14	16	31,6	40,3	845,0	78,30	4,580
150x16	150	16	16	35,9	45,7	950,0	88,70	4,560
150x18	150	18	16	40,1	51,0	1.050	98,70	4,540



Conti e Tonoli s.r.l.

Prodotti siderurgici - Ossitaglio


Via Treviglio 21 - 24043 Caravaggio (BG)

Telefono: 0363 50611 - Fax: 0363 350440

e-mail: info@contietonoli.it - www.contietonoli.it

Laminati mercantili

PROFILI ANGOLARI A LATI
DISUGUALI E SPIGOLI TONDI



Profilo mm	b mm	h mm	a mm	r mm	Peso kg/m	Sezione cm ²	Momenti di inerzia		Moduli di resistenza		Raggi di inerzia	
							Jx cm ⁴	Jy cm ⁴	Wx cm ³	Wy cm ³	ix cm	iy cm
20x30x4	20	30	4	3,5	1,45	1,85	1,59	0,553	0,807	0,379	0,926	0,547
20x30x5	20	30	5	3,5	1,78	2,27	1,90	0,656	0,904	0,461	0,916	0,539
20x35x4	20	35	4	3,5	1,62	2,06	2,46	0,576	1,09	0,386	1,10	0,530
20x35x5	20	35	5	3,5	1,98	2,52	2,95	0,685	1,33	0,471	1,08	0,523
20x40x4	20	40	4	3,5	1,77	2,25	3,59	0,596	1,42	0,392	1,26	0,515
20x40x5	20	40	5	3,5	2,17	2,77	4,32	0,710	1,73	0,480	1,25	0,507
25x40x4	25	40	4	3,5	1,93	2,56	3,88	1,17	1,47	0,622	1,26	0,690
25x40x5	25	40	5	3,5	2,37	3,02	4,68	1,39	1,80	0,756	1,25	0,680
30x45x4	30	45	4	4,5	2,25	2,87	5,78	2,05	1,91	0,908	1,42	0,846
30x45x5	30	45	5	4,5	2,77	3,53	6,99	2,47	2,35	1,11	1,41	0,836
30x45x6	30	45	6	4,5	3,27	4,17	8,12	2,85	2,76	1,30	1,40	0,827
30x50x5	30	50	5	4,5	2,96	3,78	9,41	2,54	2,88	1,12	1,58	0,820
30x50x6	30	50	6	4,5	3,51	4,47	11,0	2,93	3,39	1,32	1,57	0,792
30x60x5	30	60	5	6	3,37	4,29	15,6	2,60	4,04	1,12	1,90	0,779
30x60x6	30	60	6	6	3,99	5,08	18,2	3,02	4,78	1,32	1,89	0,771
30x60x7	30	60	7	6	4,59	5,85	20,7	3,41	5,50	1,52	1,88	0,763
40x60x5	40	60	5	6	3,76	4,79	17,2	6,11	4,25	2,02	1,89	1,13
40x60x6	40	60	6	6	4,46	5,68	20,1	7,12	5,03	2,38	1,88	1,12
40x60x7	40	60	7	6	5,14	6,55	23,0	8,07	5,79	2,74	1,87	1,11
40x80x6	40	80	6	7	5,41	6,89	44,9	7,59	8,73	2,44	2,55	1,05
40x80x8	40	80	8	7	7,07	9,01	57,6	9,61	11,4	3,16	2,53	1,03
50x75x6	50	75	6	7	5,63	7,18	40,5	14,4	8,01	3,81	2,37	1,42
50x75x7	50	75	7	7	6,51	8,30	46,4	16,5	9,24	4,39	2,36	1,41
50x75x9	50	75	9	7	8,23	10,5	57,4	20,2	11,6	5,50	2,34	1,39
50x100x8	50	100	8	9	8,99	11,5	116	19,5	18,1	5,03	3,18	1,31
50x100x10	50	100	10	9	11,1	14,1	141	23,4	22,2	6,17	3,16	1,29
60x80x7	60	80	7	7	7,35	9,36	59,2	28,5	10,8	6,38	2,51	1,75
60x80x8	60	80	8	7	8,32	10,6	66,5	31,9	12,2	7,20	2,50	1,73
60x80x10	60	80	10	7	10,3	13,1	80,2	38,3	14,9	8,86	2,48	1,71
60x120x8	60	120	8	10	10,9	13,9	205	34,9	26,4	7,40	3,84	1,59
60x120x10	60	120	10	10	13,4	17,1	250	42,1	32,5	8,09	3,82	1,57



Conti e Tonoli s.r.l.

Prodotti siderurgici - Ossitaglio

Via Treviglio 21 - 24043 Caravaggio (BG)

Telefono: 0363 50611 - Fax: 0363 350440


e-mail: info@contietonoli.it - www.contietonoli.it

ANGOLARI LATI DISUGUALI SPIGOLI TONDI/2

Profilo mm	b mm	h mm	a mm	r mm	Peso kg/m	Sezione cm ²	Momenti di inerzia		Moduli di resistenza		Raggi di inerzia	
							Jx cm ⁴	Jy cm ⁴	Wx cm ³	Wy cm ³	ix cm	iy cm
65x100x7	65	100	7	10	8,77	11,2	113	37,6	16,6	7,54	3,17	1,84
65x100x9	65	100	9	10	11,1	14,2	141	46,7	21,0	9,52	3,15	1,82
65x100x11	65	100	11	10	13,4	17,1	167	55,1	25,3	11,4	3,13	1,80
65x130x8	65	130	8	11	11,9	15,1	263	44,8	31,1	8,72	4,17	1,72
65x130x10	65	130	10	11	14,6	18,6	321	54,2	38,4	10,7	4,15	1,71
65x130x12	65	130	12	11	17,3	22,1	375	63,0	45,4	12,7	4,12	1,69
75x110x8	75	110	8	10	11,2	14,3	174	65,8	23,2	11,5	3,49	2,15
75x110x10	75	110	8	10	13,8	17,6	212	79,7	28,6	14,2	3,47	2,13
80x120x8	80	120	8	11	12,2	15,5	226	80,8	27,6	13,2	3,82	2,29
80x120x10	80	120	10	11	15,0	19,1	276	98,1	34,1	16,2	3,80	2,27
80x120x12	80	120	12	11	17,8	22,7	323	114	40,4	19,1	3,77	2,25
80x120x14	80	120	14	11	20,5	26,2	368	130	46,4	22,0	3,75	2,23
90x200x12	90	200	12	13	26,4	33,6	1391	182	109	25,5	6,44	2,33
90x200x15	90	200	15	13	32,5	41,4	1696	220	135	31,2	6,40	2,30
100x150x12	100	150	12	13	22,6	28,7	650	232	64,2	30,6	4,76	2,84
100x150x14	100	150	14	13	26,1	33,2	744	264	74,1	35,2	4,73	2,82

Laminati mercantili

ANGOLARI A LATI DISUGUALI E SPIGOLI VIVI



Profilo mm	h mm	b mm	a mm	Peso kg/m
20x12x4	20	12	4	0,879
25x15x4,5	25	15	4,5	1,250
30x17,5x5	30	17,5	5	1,670
35x20x5,5	35	20	5,5	2,140
40x22x6	40	22	6	2,640



Conti e Tonoli s.r.l.

Prodotti siderurgici - Ossitaglio


Via Treviglio 21 - 24043 Caravaggio (BG)

Telefono: 0363 50611 - Fax: 0363 350440

e-mail: info@contietonoli.it - www.contietonoli.it

Laminati mercantili


PROFILI A "T" A SPIGOLI VIVI



Profilo mm	h mm	b mm	a mm	Peso kg/m	Sezione cm ²	Momenti di inerzia		Moduli di resistenza		Raggi di inerzia	
						Jx cm ⁴	Jy cm ⁴	Wx cm ³	Wy cm ³	ix cm	iy cm
20x20x4	20	20	4,0	1,13	1,44	0,503	0,275	0,371	0,275	0,591	0,437
25x25x4,5	25	25	4,5	1,61	2,05	1,13	0,601	0,662	0,481	0,744	0,542
30x30x5	30	30	5,0	2,16	2,75	2,22	1,15	1,07	0,767	0,897	0,647
35x35x5,5	35	35	5,5	2,78	3,55	3,92	2,01	1,62	1,15	1,05	0,752
40x40x6	40	40	6,0	3,49	4,44	6,45	3,26	2,32	1,63	1,21	0,857
45x45x6,5	45	45	6,5	4,26	5,43	10,0	5,02	3,20	2,23	1,36	0,962
50x50x7	50	50	7,0	5,11	6,51	14,9	7,41	4,26	2,97	1,51	1,07
60x60x8	60	60	8,0	7,03	8,96	29,7	14,6	7,06	4,87	1,82	1,28
70x70x9	70	70	9,0	9,26	11,8	53,4	26,1	10,9	7,46	2,13	1,49
80x80x10	80	80	10	11,9	15,0	89,0	43,2	15,8	10,8	2,44	1,70
100x100x11	100	100	11	16,3	20,8	195	92,7	27,5	18,5	3,06	2,11

Laminati mercantili

PROFILI A "T" A SPIGOLI TONDI



Profilo mm	b mm	h mm	s mm	Peso kg/m
60X60X5,5	60	60	5,5	3,65
60X60X7	60	60	7	6,23
70X70X8	70	70	8	8,32
80X80X9	80	80	9	10,70
100X100X11	100	100	11	16,40